

# INDEX MAPS.

## T. 27N. R. 14E. 2<sup>nd</sup> Mer.

	194		194		194		193		193		193	
196	6	219	5	213	4	210	3	205	2	201	1	192
	219		218		213		209		205		200	
196	7	218	8	213	9	209	10	204	11	200	12	192
	218		217		212		208		204		199	
196	18	217	17	212	16	208	15	203	14	199	13	191
	217		216		212		208		203		198	
195	19	216	20	211	21	207	22	203	23	198	24	191
	216		215		211		207		202		198	
195	30	215	29	211	28	207	27	202	26	197	25	191
	215		214		210		206		201		197	
195	81	214	32	210	33	206	34	201	35	197	36	190
	190		190		190		189		189		189	

Meandering 220

## T. 28N. R. 14E. 2<sup>nd</sup> Mer.

	228		228		227		227		227		227	
230	6	256	5	249	4	244	3	239	2	234	1	226
	255		255		248		244		239		234	
229	7	255	8	248	9	243	10	238	11	234	12	226
	254		254		248		243		238		233	
229	18	253	17	247	16	242	15	237	14	233	13	225
	253		252		247		242		237		232	
229	19	252	20	246	21	241	22	236	23	232	24	225
	252		251		246		241		236		231	
228	30	250	29	245	28	240	27	236	26	231	25	225
	250		250		245		240		235		231	
228	31	249	32	245	33	239	34	235	35	230	36	225
	224		224		224		223		223		223	

Meandering 250

The figures on the lines refer to the page.

Township 27 North, Range 14 East 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Chs. Sks.

South Boundary.

Var. 5° 55' E.

West On S. side of Sec. 34.

11.17 an Elm 12 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears N 18° E, 20 lb. dist. X  
a Do. = " " " N 38° E, 27 " "

50.00 a Brook 10 lb. wide course N.

61.90 a Beech 18 in. dia.

67.50 a Brook 10 lb. wide course N.E.

80.00 Set post cor. to Sect. 35 & 36, from which  
a Wh. Oak 8 in. dia. bears N 43° E, 9 lb. dist. X  
an Elm 15 in. dia. " S 52° W, 20 " "

Land, low & wet. Timbered with Beech,  
Oak, Elm &c.

West On S. side of Sec. 35. T. 27.

13.08 a Beech 15 in. diam.

40.00 Set gr. sec. post, from which  
an Elm 20 in. diam. bears N 68° E, 15 lb. dist. X  
a Maple 8 " " " N 51° W, 16 " "

55.90 a Beech 15 " "

80.00 Set post cor. to Sect. 34 & 35, from which  
a Bl. Oak 15 in. dia. bears N 58° E, 10 lb. dist. X  
a Lyrn 8 " " " S 38° W, 23 " "  
Land, as above.

West On S. side of Sec. 34.

8.50 an Elm 15 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 15 in. dia. bears S 87° E, 17 lb. dist. X  
a Do. 24 " " " S 39° E, 29 " "

46.84 a Bl. Oak 18 " "

80.00 Set post cor. to Sect. 33 & 34, from which  
a Beech 15 in. dia. bears N 71° E, 12 lb. dist. X  
a Do. 10 " " " ≈ 21° W, 20 " "



S 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 1<sup>st</sup>

Land, same as before.

West On S. Side of sec. 33.  
20.00 Enter Swamp course N. & S.  
40.00 Set gr. Sec. post, from which  
no bearings, in swamp.  
80.00 Set post cor. to Secs 32 & 33, fr. wh.  
a Willow 4 in. dia. bears N 76 W. 64 lb. dist. X  
no other given  
Land, swampy.

West On S. Side of sec. 32.  
28.00 a Brook 10 lb. wide course S. W.  
40.00 Set gr. Sec post, from which  
a Cottonwood 12 in. dia. bears S 16 E. 154 lb. dist. X  
80.00 Set post cor. to sec. 31 & 32, from wh.  
an Ash 8 in. dia. bears N 61 W. 16 lb. dist. X  
a Beech 18 in. dia. bears S 45 E. 22 lb. dist. X  
Land, same as before.

West On S. Side of sec 31.  
40.00 Set. gr. Sec. post, from which  
a wh. Oak 10 in. dia. bears N 39 E. 14 lb. dist. X  
an Oak 24 " " " S 55 W 22 " "  
80.50 To Town Cor.  
Land, Timber with Beech.  
Surveyed in 1820.  
By John M. Donald, D.S.

East Boundary.

Var. 5° 15' E.

North On E. Side of Sec 36.  
24.08 a Beech 12 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 8 in. diam. br. N 22 W. 2 lb. dist. X  
a Do. 30 " " " S 9 E. 38 " "

191

S. 27 N. 14. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

61.93 a Beech 12 in. diam.  
 80.00 Set post cor. to Sec. 25 & 26, from which  
 a Beech 12 in. dia. bears S 18 W 2 1/2 lb. dist. X  
 a Do. 15 " " " N 4 E. 45 " "  
 Land level. Beech, Oak, Hickory.

North On E. Side of Sec. 25.

14.00 a Wh. Oak 36 in. diam.  
 40.00 Set gr. sec. post, from which  
 an Ash wood 4 in. dia. bears S 92 E. 8 1/2 lb. dist.  
 a Do. 4 " " " N 1/4 W. 18 " "  
 47.00 a Brook 15 lb. wide Course N. E.  
 68.50 a Sycamore 30 in. diam.  
 80.00 Set post cor. to Sec. 24 & 25, from which  
 a Beech 12 in. dia. bears S 4 W 30 lb. dist. X  
 a Do. 15 " " " N 77 W. 30 " "  
 Land as above

North On E. Side of Sec. 24.

33.12 a Beech 14 in. diam.  
 40.00 Set gr. sec. post, from which  
 an Ash 6 in. dia. bears S 10 E. 24 lb. dist. X  
 a Do. 6 " " " N 42 W. 22 " "  
 53.90 a Sph. Oak 18 in. dia.  
 80.00 Set post cor. to Sec. 13 & 24, fr. wh.  
 a Hickory 12 in. dia. bears S 24 W. 27 lb. dist. X  
 a Beech 14 " " " N 77 W. 17 " "  
 Land, level. Limb. Oak, Beech Hickory.

North On E. Side of Sec. 13.

18.00 a Brook 6 lb. wide Course N. E.  
 23.00 a Road Course N. W.  
 40.00 Set gr. sec. post, from which  
 a Beech 6 in. dia. bears S 4 E. 23 lb. dist. X  
 an Ash wood 4 in. dia. " N 60 W. 6 lb. dist.  
 60.00 a Creek 50 lb. wide Course N. W.

192

S. 27 N. 16. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

68. 10

a Beech 18 in. diam.

80. 00

Set post cor. to Secs. 12 & 13, from which  
an Ash 13 in. dia. bears S 82 W 1/2 W. dist.

a Beech 18 " " " N 55 E. 6 " "

Land, as before.

North On E. Side of Sec. 12.

15. 80

Intersect St. Marys River Course N & W.  
& set post on margin, from which

an Ash 10 in. dia. bears N 33 W 1/8 W. dist. X

a Lym 8 " " " N 87 E. 32 " "

18. 00

Set post on the N. Bank, from which  
a Lym 12 in. dia. bears S 87 W 1/8 W. dist. X

an Ashwood 10 " " " N 62 E. 26 " "

40. 00

Set gr. sec. post, from which  
a Beech 18 in. dia. bears N 31 W 1/2 W. dist. X

a Hickory 13 " " " S 60 E. 3 " "

80. 00

Set post cor. to Secs. 1 &amp; 12, from wh.

a Dogwood 6 in. diam. bears N 47 W 1/2 W. dist.

a Wh. Oak 8 in. dia. bears S 18 E. 17 W. dist.

Land, Oak &amp; Hickory. Mud. Hazel &amp;c.

North On E. Side of Sec. 1.

40. 00

Set gr. sec. post, from which

a Hickory 14 in. dia. bears N 28 W 1/2 W. dist. X

an Ashwood 4 in. dia. bears S 2 E. 9 W. dist.

80. 00

Set post cor. to Secs. 1, 4 & 5 & 6. & Towns N.  
27 & 28. N. Ranges 14 & 15 East fr. wh.

a Wh. Oak 13 in. dia. bears N 82 E. 13 W. dist. X

an Ashwood 7 in. dia. bears S 44 E. 26 W. dist.

Land & Timber is the same as  
on last mile.March the 10<sup>th</sup> 1820 Surveyed by

John Mc. Donald

Dep. Sur.

T. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. <sup>193</sup>

Ch. 2<sup>nd</sup> 1/2

North Boundary.

Var. 5.55.2

West On S. side of sec. 36. T. 28 N. R. 14 E.  
 40.00 Set q. sec. post, from which  
 a Wh. Oak 10 in. dia. bears S 67 W. 18 W. dist.  
 a Do. 13 " " " N 66 E. 13 " "  
 80.00 Set post cor. to Secs. 35 & 36, from which  
 a Sugar 15 in. dia. bears N 77 W. 23 W. dist. &  
 a Beech 14 " " " S 70 W. 14 W. dist.  
 Oak, Beech & Hickory.

West On S. side of sec. 35. T. 28 N. R. 14 E.  
 40.00 Set q. sec. post, from which  
 a Beech 14 in. dia. bears S 77 W. 18 W. dist. &  
 a Do. 14 " " " " S 48 E. 14 " "  
 80.00 Set post cor. to Secs. 34 & 35, from which  
 a Hornbeam 4 in. dia. bears N 37 E. 11 W. dist. &  
 an Elm 8 in. dia. bears S 16 W. 13 W. dist.  
 Land & Timber, in

West On S. side of sec 34. T. 28 N. R. 14 E.  
 8.32 Intersect St. Mary's River and set a  
 meander post, from which  
 an Ash 12 in. diam. bears N 9 W. 6 W. dist. &  
 a Do. = " " " " S 16 W. 18 W. dist.  
 10.75 Set post on the West Bank, from which  
 an Elm 12 in. dia. bears N 10 W. 9 W. dist. &  
 a Do. 6 " " " " S 10 E. 9 " "  
 40.00 Set q. sec. post, from which  
 a Wh. Oak 34 in. dia. bears S 63 E. 23 W. dist. &  
 a Hickory 18 " " " " N 76 W. 31 " "  
 57.10 a Wh. Oak 18 in. diam.  
 80.00 Set post cor. to Secs. 33 & 34, from which  
 a Wh. Oak 14 in. dia. bears S 38 E. 22 W. dist. &  
 an Ash 12 in. dia. " " N 68 W. 16 " "  
 Level land. Oak Beech &c.



194 S. 27 N. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. Lk.  
West On S. Side of Sec. 33. T. 28 N. 16. 14 E.  
23.50 a Brook 10 ft. wide Course N.  
32.90 an Oak 50 in. diam.  
40.00 Set gr. sec. post, from which  
a Wh. Oak 18 in. dia. bears S 9 E. 20 ft. dist.  
a Beech 14 " " " N 83 W. 18 " "  
72.00 a Creek 50 ft. wide Course N.  
80.00 Set post cor. to Secs. 32 & 33, fr. wh.  
a Spuberry 8 in. dia. bears S 57 E. 2 ft. dist.  
a Wh. Oak 6 " " " S 65 W. 10 " "  
Land as before.

West On S. Side of Sec. 32. T. 28 N. 16. 14 E.  
6.00 a Creek 40 ft. wide Course S.  
11.50 Same Course N. E.  
33.40 a Wh. Oak 24 in. diam.  
40.00 Set gr. sec. post, from which  
a Beech 14 in. dia. bears S 66 E. 39 ft. dist.  
a Do. 14 " " " N 82 W. 16 " "  
59.20 a Sycamore 30 in. diam.  
80.00 Set post cor. to Secs. 31 & 32, from wh.  
a Beech 12 in. dia. bears N 74 E. 20 ft. dist.  
an Oak 13 " " " S 47 W. 6 " "  
Land, as before.

West On S. Side of Sec. 31. T. 28 N. 16. 14 E.  
16.90 a Wh. Oak 20 in. diam.  
240.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears S 8 E. 32 ft. dist.  
a Hickory 8 " " " N 66 W. 14 " "  
51.75 a Beech 12 in. diam.  
80.80 Town. Cor.  
Land Same as last mile.  
Surveyed in 1820.  
By John M. C. Donald  
Dep. Sur.



S. 27 N. No. 14 E. 2<sup>nd</sup> Mer. Ind. 195

W. W.

West Boundary

Mar. 5<sup>th</sup> 30<sup>th</sup> E.

North on E. side of sec 36. T. 27 N. R. 13 E.

25.26 a Beech 12 in. dia.

40.00 Set gr. sec. post. from which  
a Maple 24 in. dia. bears S 26 E, 16 lb. dist. X  
an Ash 10 " " " N 55 W, 9 " "

62.87 Cottonwood 12 in. diam.

80.00 Set post cor. to Sect. 25 & 36, fr. which  
an Ash 24 in. dia. bears N 36 W, 10 lb. dist. X  
a Gum 12 " " " N 65 E, 5 " "

Land, wet. Timber: Beech, Sugar,  
under yth. of Spruce.

---

North on E. side of sec. 25. T. 27 N. R. 13 E.

6.80 a Beech 12 in. diam.

40.00 Set gr. sec. post. from which  
an Elm 24 in. dia. bears S 78 E, 8 lb. dist. X  
an Ash 10 " " " S 35 W, 6 " "

55.00 a Beech 10 in. diam.

80.00 Set post cor. to Sect. 24 & 25, fr. wh.  
a Hickory 24 in. dia. bears S 20 E, 25 lb. dist. X  
a Beech 10 " " " N 80 W, 19 " "  
Land, as above.

---

North on E. side of sec. 24. T. 27 N. R. 13 E.

28.10 a Sugar 18 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 24 in. dia. bears N 27 E, 15 lb. dist.  
a Do. 8 " " " S 60 W, 12 " "

69.62 an Elm 12 in. diam.

80.00 Set post cor. to Sect. 13 & 24, fr. which  
an Hornwood 8 in. dia. bears S 36 W, 8 lb. dist. X  
a Pop. Oak 36 " " " N 10 W, 14 " "  
Land as above

196 T. 27 N. R. 14 E. 2<sup>nd</sup> Mer. and a

Ch. Lk.

North On E. side of Sec. 13. T. 27 N. R. 14 E. 2<sup>nd</sup> Mer.  
 23.75 a Beech 24 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Sugar 18 in. dia. bears S 5 E. 15 lbs. dist. &  
 a Beech 24 " " " N 22 W. 11 lbs. dist.  
 65.50 a Beech 12 in. diam.  
 80.00 Set post cor. to Sect. 12 & 13. from wh.  
 a Linn 24 in. dia. bears S 65 E. 6 lbs. dist. &  
 a Beech 10 " " " N 81 W. 13 " "  
 Land, as above.

North On E. side of Sec. 12. T. 27 N. R. 14 E.  
 11.62 a H. Oak 36 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Hickory 24 in. dia. bears S 11 E. 26 lbs. dist. &  
 an Ash 10 " " " N. 48 E. 6 lbs. dist.  
 62.00 a Beech 18 in. dia.  
 80.00 Set post cor. to Sec. 14 & 12. fr. wh.  
 a Wh. Oak 36 in. dia. bears S 18 E. 33 lbs. dist. &  
 a Do. 36 " " " N 18 W. 18 " "  
 Land, as above.

North On E. side of Sec. 1. T. 27 N. R. 14 E.  
 9.00 a Creek 50 lbs. wide course N. E.  
 13.78 an Ash 18 in. dia.  
 40.00 Set gr. sec. post. from which  
 a Wh. Oak 10 in. dia. bears N 78 E. 10 lbs. dist. &  
 an Ironwood 8 in. dia. " S 29 W. 46 " "  
 83.40 Set post cor. of Sec. Township 27 & 28,  
 North Ranges 13 & 14 East, from which  
 a Beech 12 in. dia. bears N 70 W. 17 lbs. dist. &  
 an Ironwood 10 in. dia. " S 75 E. 17 " "  
 Land, Rich. Limb. Beech Sugar Ash &c.  
 March 7<sup>th</sup> 1820. Surveyed by  
 John M. Donald, D.S.

S. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. <sup>197</sup>

Ch. 4th.

Subdivisions.

Var. 5.15.6.

North Between Sect. 35 & 36.

19.75 a Wh. Oak 18 in. diam.

40.00 Set gizee post from which  
a wh. Oak 60 in. dia. bears N 39 W. 18 lb. dist. X  
a Beech 4 " " " S 11 E. 12 lb. dist.

55.00 a Bl. Oak 16 in. diam.

80.01 Set post North Sect. 25, 26, 35 & 36, from wh.

a Bl. Oak 30 in. dia. bears S 41 E. 37 lb. dist. X

an Elm 18 " " " N 25 W. 42 " "

Land, 2<sup>nd</sup> rate level Timber: Beech,  
Wh. Oak, Sugar W. H. & Bl. Oak, Elm &  
Michigan &c.

East On Random between Sect. 25 & 36.

40.00 Set temp. gr. sec. post.

59.10 a Bl. Oak 30 in. diam.

80.17 Intersect N & S line 129 lb. S. of post.

Land and Timber same.

West Locust line between Sect. 25 & 36.

20.82 a Wh. Oak 20 in. diam.

40.08 Set gr. sec. post. from which

a Sugar 10 in. dia. bears N 14 E. 9 lb. dist. X

a Michigan 12 in. dia. bears S 6 W. 9 lb. dist.

80.17 Sec. loc.

North Between Sect. 25 & 26.

9.01 Enter Swamp Course N. E.

17.50 Left Do.

19.30 an Elm 12 in. diam.

40.00 Set gr. sec. post from which

a Beech 24 in. dia. bears N 52 E. 27 lb. dist.

a Wh. Oak 6 " " " S 39 W. 5 lb. dist.

64.30 a Beech 20 in. diam.

T. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. "   
 ch. 2<sup>nd</sup> 1/2

80.00 Set post Cor. to Secs 23, 24, 25 & 26, fr. wh.   
 a Hickory 16 in. dia. bears S 89 W 44 lb.   
 a Beech 20 " " " N 85 E, 33 lb. dist.   
 Land and Limb. Same.

East On Random Between Secs 24 & 25.

21.00 a H. Oak 40 in. diam.

40.00 Set gr. sec. post. (Temporary).

60.04 a Beech 20 in. diam.

79.96 Intersect E. boundary 42 lb. S. of post.   
 Land & Limb. the Same.

West Correct line between Secs 24 & 25.

39.98 Set gr. sec. post. from which   
 an Elm 24 in. dia. bears S 48 E, 22 lb. dist.   
 a Bl. Ash 8 " " " N 60 W, 12 " "

79.96 Sec. cor.

North Between Secs 23 & 24.

17.56 an Elm 36 in. diam.

40.00 Set gr. sec. post. from which   
 a Beech 15 in. dia. bears S 88 E, 10 lb. dist.   
 a Hickory 12 " " " N 78 W, 28 lb. dist.

41.50 a creek 15 lb. wide course N. E.

60.95 a Sugar 24 in. diam.

80.00 Set post cor. to Secs 13, 14, 23 & 24, fr. wh.   
 a Hickory 12 in. dia. bears S 35 W, 17 lb. dist.   
 a Sycamore 50 in. dia. " S 74 E, 12 lb. dist.   
 Land and Limb. as before.

East On Random Between Secs 13 & 24.

19.40 a Sycamore 20 in. diam.

20.00 a Brook 15 lb. wide course N. E.

40.00 Set gr. sec. post. from which (Temp.)

59.80 a Beech 20 in. diam.

79.85 Intersect N & E line 3 lb. S. of post.



199

S. 2 1/2 N. T4. 14 W. 12<sup>nd</sup> Mer. Ind<sup>a</sup>

11.40 Land and Timber Same.

West Correct line between Sec. 13 & 24.

29.92 Set gr. sec. post. from which  
a Hickory 30 in. dia. bears E. 1<sup>st</sup> h. dist. &  
a Beech 10 " " " S 7<sup>th</sup> W. 20<sup>th</sup> dist.

79.85 Sec. cor.

North Between Sections 13 & 14.

26.65 a W. Oak 48 in. diam.

40.00 Set gr. sec. post. from which  
a W. Oak 15 in. dia. bears S 78<sup>th</sup> E. 53<sup>rd</sup> W. dist.  
an Elm 10 " " " N 60<sup>th</sup> W. 11 " "

58.38 a W. Oak 24 in. diam.

70.20 20 a Run 10<sup>th</sup> wide course E. by N.

80.00 Set post cor. to Sec. 11, 12, 13 & 14, fr. wh.  
a W. Ash 15 in. dia. bears N 40<sup>th</sup> E. 21<sup>st</sup> W. dist.  
a Beech 12 " " " S 64<sup>th</sup> W. 3 " "  
Land, 2<sup>nd</sup> rate. Timber, Beech, Sugar,  
W. Ash, Burr, W. & Red Oak, Lymex.  
Spice and Iron wood thick.

East On Random betw<sup>n</sup> Sec. 12 & 13.

9.51 20 a Run 10<sup>th</sup> wide course N. E.

34.80 20 Post waysee Road course N. W.

40.00 Set temp. gr. sec. post. from which

67.00 Creek 50<sup>th</sup> wide course N. W.

80.00 Set post cor. to intersect N & S line  
40<sup>th</sup> S. of post. Land and Timber  
the same as on last mile.

West Correct line between Sec. 12 & 13.

40.00 Set gr. sec. post. from which

a Burr Oak 12 in. dia. bears N 22<sup>nd</sup> W. 20<sup>th</sup> dist.

a Beech 15 " " " S 8<sup>th</sup> E. 30 " "

80.00 Sec. cor.



200 S. 2 1/4 N. R. 14 E. 2<sup>nd</sup> Mer. Ind.?

Ch. Sp.

North Between Secs. 11 & 12.

22.25 a Hickory 12 in. diam.

35.50 To a Run 20 lb. wide course N. W. <sup>down</sup> thence

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears S 60 E. 21 lb. dist. &  
a Wh. Oak 15 in. dia. " N 47 W. 7 " "

50.00 Left the Run 20 lb. wide course N. E.

62.42 an Elm 18 in. dia.

66.00 To St. Mary's River course N. W.

and set post on margin from which  
a Hickory 18 in. dia. bears S 8 E. 10 lb. dist. &  
an Elm 12 " " " S 62 W. 35 " "

68.21 across River & set post. from which  
a Beech 24 in. dia. bears S 62 W. 21 lb. dist. &  
a Wh. Oak 18 in. dia. " N 24 E. 23 " "

74.50 a Brook 5 lb. wide course N. W.

80.00 Set post cor. to Secs. 1, 2, 11 & 12, from wh.  
a Beech 18 in. dia. bears S 19 E. 26 lb. dist. &  
a Do. 8 " " " N 40 W. 21 " "

Land, 2<sup>nd</sup> rate. North of  
River 1<sup>st</sup> rate. Sugar Beech, Ash,  
Buckeye & spire.

---

East On Random Between Sections 1 & 12.

40.00 Set temp. gr. sec. post.

40.50 a Brook 5 lb. wide course S. W.

80.00 Intersect N. & S. line 50 lb. S. of post.

Land, 2<sup>nd</sup> rate. Timber: Beech,  
H. & Wh. Oak, Hickory Wh. Oak & Wh. Ash.  
Shanewood &c.

---

West Correct line Between Secs. 1 & 12.

40.00 Set gr. sec. post. from which

a Wh. Ash 12 in. diam. bears S 32 E. 18 lb. dist.  
a H. Oak 30 " " " N 47 W. 37 " "

80.00 Sec. cor.

S. 27 N. No. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup> 201

chk. Lk. *mmmm*

North Between Sections 1 & 2.

8.00 a Brook 10 lb. wide course S.W.

15.00 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 20 in. dia. bears S 60 E. 32 lb. dist. &  
a Do. 12 " " " N 50 W. 11 " "

65.08 a Wh. Ash 8 in. dia.

76.00 a Brook 5 lb. wide course S.W.

82.39 Antiseet N. Boundary 70 lb. E. of post &  
set post cor. to Sec. 1 & 2. from which  
a Hickory 12 in. dia. bears S 41 W. 8 lb. dist. &  
a Do. 18 " " " S 55 E. 13 " "

Land, good 2<sup>nd</sup> rate, Timber No. &  
Wh. Oak, Hickory Wh. Ash Beech &  
Sugar &c. Spice and Ironwood.

North Between Sections 34 & 35.

19.12 a B. Oak 12 in. diam.

40.00 Set gr. sec. post, from which  
a H. Oak 24 in. dia. bears S 88 E. 55 lb. dist.  
a Beech 12 " " " S 84 W. 42 " "

58.00 Enter ~~swamp~~ swamp course C. N. W. & S. E.

73.50 Leave swamp part wet prairie  
about the middle swamp.

80.00 Set post cor. to Sec. 26, 27, 34 & 35, from which  
a H. Oak 40 in. dia. bears N 75 W. 21 lb. dist.  
a Wh. Oak 20 " " " S 57 E. 29 lb. dist.  
Land, 2<sup>nd</sup> rate. dry land. Timber  
Beech Sugar &c. Wh. & H. Oak, Lym  
and Hickory &c.

East All Random Between Sec. 26 & 35.

20.12 a Sycamore 12 in. dia.

40.00 Set temp. gr. sec. post.

42.50 Enter swamp course N. E.

S 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. 22

56.50 Leave Swamp Course ~~N.E.~~ 15<sup>th</sup> above  
this S.W. is a wet Prairie & extend to the N.  
& S. line.

59.50 a Hickory 12 in. diam.

80.28 Intersect N & S. line 125<sup>th</sup> E. of post.

Land, more wet & slushy. Elm, Hick-  
ory, Bl. & Wh. Ash, Beech, H. & W. Oak,  
Sugar &c.

West Correct line between Sect. 26 & 25.

22.90 a Beech 20 in. diam.

40.19 Set gr. sec. post, from which  
a Hickory 6 in. dia. bears S 73 E, 12<sup>th</sup> dist.  
a Beech 10 " " " N 85 W, 12 " "

60.21 a Sycamore 15 in. diam.

80.38 Sec. cor.

North Between Section of 26 & 27.

27.40 a Maple 18 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 15 in. diam. bears N 72 W, 17<sup>th</sup> dist.  
an Elm 24 " " " S 88 E, 17 " "

80.00 Set post cor. to Sect. 22, 23, 26 & 27. from which  
a Bl. Oak 40 in. dia. bears N 33 E, 37<sup>th</sup> dist.  
an Elm 4 " " " S 52 W, 5 " "  
Land & Timber, same.

East Anecdotal Between Section of 23 & 26.

20.12 a Sugar 12 in. dia.

40.00 Set temp. gr. sec. post, from

60.45 a W. Oak 40 in. diam.

79.95 Intersect E. line at post.

Land and Timber, same.

West Correct line between Sect. 23 & 26.

39.98 Set gr. sec. post, from which

S. 27 N. No. 14 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>  
 Ch. 10<sup>th</sup> a Sugar 10 in. dia. bears S 52 E, 5 lb. dist. )  
 a Do. 18 " " " N 17 W, 18 " " )  
 79.95 Sec. loc.

North Between Sect. 22 & 23.  
 21.34 a Wh. Oak 48 in. dia.  
 40.00 Set gr. sec. post. from which  
 a Hickory 16 in. dia. bears N 18 E, 5 lb. dist. and  
 an Elm 14 " " " N 85 W, 21 lb. dist.)  
 59.00 a Beech 12 in. diam.  
 72.00 a Brook 10 lb. wide Course N. W.  
 80.00 Set post-loc. to Sect. 14, 15, 21 & 22, fr. which  
 a Hickory 12 in. dia. bears S 27 E, 23 lb. dist.  
 a Beech 14 " " " N 31 W, 19 " "  
 Land, wet and slaty, B. & Wh. Ash.  
 Elm, Hickory Cottonwood Beech, Wh.  
 & No. Oak &c. &c.

East On Random Between Sect. 14 & 23.  
 8.00 Enter Bl. Ash Swamp  
 37.00 Left Bl. Ash Swamp  
 40.00 set temp. gr. sec. post.  
 79.73 Intersect N & S. line 20 lb. N. of post.  
 Land, W. 1/2 Bl. Ash. E. 1/2 2<sup>nd</sup> rate  
 Beech, Wh. Ash, Sugar, Hickory &c.

West Current line Between Sect. 14 & 23.  
 39.86 Set gr. sec. post. from which  
 a Beech 18 in. dia. bears N 45 W, 11 lb. dist. &  
 an Elm 18 " " " S 45 E, 27 " "  
 79.93 Sec. loc.

North Between Section 14 & 15.  
 21.30 a Wh. Ash 36 in. diam.  
 40.00 Set gr. sec. post. from which  
 an Elm 15 in. dia. bears S 7 W, 10 lb. dist. &



2024 S 27 N. N. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch<sup>a</sup> W<sup>a</sup>

61.40 a Beech 24 in. dia. bears N 19 E. 43 lb. dist.  
 80.00 a Wh. ash 24 in. dia.  
 Set post Cor. to Sec. 10, 11, 14 & 15, fr. wh.  
 a Lynn 6 in. diam. bears S 4 E. 27 lb. dist.  
 a Hickory 24 " " " N 1 E. 16 " "  
 Land, 2<sup>nd</sup> rate. Timber, Beech,  
 Sugar, Wh. N. Br. Oak, Hickory -  
 Lynn &c. &c. &c. Spice Ironwood  
 P. Ash.

East On Meander Between Sec. 11 & 14.

40.00 Set temp. gr. sec. post.  
 79.35 Intersect N & S. line 80 lb. N. of post.  
 Land, flat and wet. Timber, Cotton-  
 wood, Elm, Bl. Ash, Wh. Ash, Hick-  
 ory. &c. &c. &c.

West Correct line between Secs. 11 & 14.

38.67 Set gr. sec. post. from which  
 an Elm 20 in. dia. bears N 80 W. 23 lb. dist.  
 an Elm 18 " " " S 8 E. 5 " "  
 79.35 Sec. cor.

North Between Sections 10 & 11.

15.00 a Run 10 lb. wide course N. E.  
 21.00 a Hickory 12 in. diam.  
 30.00 a Oak 30 lb. wide course N. E.  
 40.00 Set gr. sec. post. from which  
 a Wh. Oak 36 in. diam. bears S 72 E. 21 lb.  
 a Wh. Ash 4 " " " N 46 W. 40 lb. dist.  
 58.10 a Wh. Oak 36 in. dia.  
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, fr. wh.  
 a Hickory 12 in. dia. bears N 19 E. 8 lb. dist.  
 a Hickory 10 " " " S 12 W. 24 " "  
 Land, 2<sup>nd</sup> rate. Timber, same first  
 1/2 mile 2<sup>nd</sup> rate principally, Wh. Oak. land.



205

P. 27 N. 16. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
 ch. 1<sup>st</sup> 1<sup>st</sup>  
 Spice and Ironwood.

---

East on Neandam betw<sup>n</sup> Secs. 2 & 11.  
 20.00 To Fortwayne Road Course N. W.  
 40.00 Set temp. gr. sec. post.  
 46.56 Intersect St. Marys River on high  
 Bank course N. W. set temp. post.  
 49.23 a brook River set temp.  
 76.64 a brook 10 ft wide course N. W.  
 79.19 Intersect N & E line 95 ft. of post.  
 Land and Limb. West of River same  
 East of River 1<sup>st</sup> rate. Buckeye & Sugar.

---

West Correct line Between Secs. 2 & 11.  
 29.96 Set a meandr. post. <sup>cont. of River.</sup> from which  
 32.32 Set post on opposite bank &  
 a Buckeye 10 in. dia. bears S 50 W. 5 ft. dist. &  
 a Do. 14 " " " N 80 E. 8 " "  
 32.52 Set post on opposite side of River  
 & set post cor. to frac. Sect. 2 & 11, fr. wh.  
 a Sugar 15 in. dia. bears N 16 W. 39 ft. dist.  
 a Do. 24 " " " S 44 E. 25 " "  
 39.59 Set gr. sec. post on true line from wh.  
 a Wh. Oak 10 in. dia. bears N 14 E. 10 ft. dist. &  
 a Wh. Oak 10 " " " S 22 W. 50 " "  
 79.19 Sec. cor.

---

North Between Secs. 2 & 3.  
 17.75 To Fortwayne Road course N. W.  
 23.72 a Wh. Oak 3 1/2 in. dia.  
 40.00 Set gr. sec. post. from which  
 an Elm 4 in. dia. bears N 54 W. 19 ft. dist. &  
 a Wh. Oak 24 in. dia. S 40 E. 14 " "  
 46.93 To the St. Marys River bet. N. W. on  
 bottom and set meandr. post. fr. wh.  
 a Wh. Oak 24 in. dia. bears S 78 W. 20 ft. dist. &

206 S. 27 N. W. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Chs. Lk<sup>a</sup>

- a Beech 18 in. dia. bears S 18 E. 42 lks. dist.  
 50.69 Across River & set post from which  
 an Elm 30 in. dia. bears N 26 W. 20 lks. dist. X  
 a Wh. Oak 40 " " " N 40 E. 47 " "  
 63.15 a Beech 20 in. diam.  
 82.66 Intersect. N. Boundary 192 lks. E. of post.  
 & set post Cor. to Sect 2 & 3, from which  
 a Wh. Oak 12 in. diam. bears S 53 E. 47 lks. dist.  
 an Ironwood 8 in. diam. " S 32 W. 20 " "  
 Land S. side of River 2<sup>nd</sup> rate.  
 Wh. Oak, Hickory &c. N. side of River  
 1<sup>st</sup> rate. Walnut, Sugar, Buckeye &c.

North Between Sections 23 & 24.

- 23.20 a Bl. Ash 12 in. diam.  
 40.00 Set q. sec. post, from which  
 a Hickory 24 in. dia. bears N 17 W. 18 lks. dist. X  
 a Wh. Ash 18 " " " S 45 E. 27 " "  
 61.92 a H. Oak 15 in. dia.  
 62.50 Came to open wet prairie  
 73.00 Left the same course E. & W.  
 80.00 Set post cor. to Sec. 27, 28, 33 & 34, fr. wh.  
 a Hickory 5 in. dia. bears N 29 W. 23 lks. dist. X  
 a Bl. Ash 24 " " " S 25 E. 23 " "  
 Land wet, with thickets of Brush -  
 Willow &c. &c. &c.

East an Haulm between Sec. 27 & 34.

- 9.00 Came to an open prairie strewed with  
 Willow and wet.  
 33.00 Left the prairie course S. E. & N. W.  
 38.00 Came to the same.  
 40.00 Set temp. q. sec. post.  
 62.50 Left the same prairie course S. E.  
 80.00 Intersect Sec. Cor.  
 Land, same.

S. 27 N. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup> 207

Ch. 2<sup>nd</sup>

West Correct line between Sect. 27 & 34.

40.00 Set q. sec. post. from which  
No Bearings. In open Prairie.

North Between Sections 27 & 28.

7.00 Came to open wet Prairie.

\* 23.30 a Beech 15 in. diam.

\* 46.00 Left the same Prairie course N. W.

40.00 Set q. sec. post. from which  
a Beech 20 in. dia. bears N 3 E, 58 lb. dist. X  
a Do. 10 " " " N 25 W, 18 " "

59.00 a Beech 18 in. diam.

80.00 Set post loc. to Sect. 21, 22, 27 & 28, from which  
an Elm 24 in. dia. bears N 18 W, 60 lb. dist. and  
a Beech 15 " " " N 3 E, 34 " "  
Land, 2<sup>nd</sup> rate. Timber: Beech, Sugar  
Maple, & H. Oak, Wh. Ash Hickory, Green  
Spice, Ironwood &c, &c, &c.

East An Random Between Sect. 22 & 27.

23.30 a Wh. Ash 15 in. diam.

30.00 a wind fall course N. W.

35.00 Left the same.

40.00 Set temp. q. sec. post.

80.14 Intersect N & S. line at post.

Land, generally wet this mile Timber:  
Cottonwood, Bl. Ash &c.

West Correct line Between Sect. 22 & 27.

40.07 Set q. sec. post. from which  
a Cottonwood 24 in. dia. bears S 70 W, 6 lb. dist. X  
a Maple 15 " " " N 52 E, 12 " "

80.14 Sec. loc.

North Between Sect. 21 & 22.

22.54 a Beech 18 in. diam.

S. 27 N. 14 E. 2<sup>nd</sup> Mer. Ind.Ch. 1<sup>st</sup>

40.00 Set gr. sec. post, from which  
a wh. Ash 20 in. dia. bears S 29 E, 43<sup>rd</sup> lb.  
a Maple 5 " " " N 60 W 42 " "

63.00 a Sugar 15 in. diam.

80.00 Set post cor. to Sect. 15, 16, 21 & 22,  
a Beech 15 in dia. bears N 73 E, 9<sup>th</sup> lb. dist.  
a Do. 6 " " " S 73 W 25 " "  
Land and Timber, same.

East on Meander between Sect. 15 & 22.

19.25 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which (temp.)

80.00 Intersect N & S line 30 lb. N. of post.  
Land and Timber same.

West correct line between Sect. 15 & 22.

40.00 Set gr. sec. post, from which  
a Beech 18 in. dia. bears N 70 W, 15<sup>th</sup> lb. dist.  
a Do. 10 " " " S 45 E, 32 " "

80.00 Sec. cor.

North Between Sect. 15 & 16.

24.74 a Spruce 12 in. diam.

40.00 Set gr. sec. post, from which  
a wh. Ash 6 in. dia. bears S 40 W, 9<sup>th</sup> lb. dist.  
a wh. Oak 18 " " " N 42 E, 28 " "

64.20 a Beech 15 in. diam.

80.00 Set post, cor. to Sect. 9, 10, 15 & 16, fr. wh.  
a wh. Oak 24 in. dia. bears S 26 E, 28<sup>th</sup> lb. dist.  
a Beech 35 " " " N 44 W, 36 " "  
Land, and Timber, same.

East on Meander Between Sect. 10 & 15.

39.50 a Run 15 lb. wide course N. W.

40.00 Set temp. gr. sec. post.

64.50 a Run 10 lb. wide course N. E.



P. 27 N. W. 14 E. 2<sup>nd</sup> Mer. Ind<sup>n</sup>

209

66<sup>th</sup> Lk!

79.00 Intersect N & S. line. 40 Lk. N. of post.  
Land and Timber.

---

West Correct line Between Sect. 10 & 15.

39.50 Set gr. sec. post from which  
a Beech 14 in. dia. bears S 54 E, 20 Lk. dist. X  
a Do. 6 " " " N 54 W, 7 " "

79.00 Sec. cor.

---

North Between Sect. 9 & 10.

10.00 To a Run North 15 Lk. wide

14.00 Left the same Run course N. E. and  
15 Lk. wide

26.25 a H. Oak 36 in. diam.

40.00 Set gr. sec. post, from which  
an Elm 9 in. dia. bears N 19 W, 18 Lk. dist. X  
an Elm 12 " " " S 19 E, 40 " "

60.13 a Beech 15 " "

80.00 Set post cor. to Sect. 34, 9 x 10 from which  
an Elm 24 in. dia. bears S 60 E, 40 Lk. dist. X  
a Bl. Ash 18 " " " N 60 W, 9 " "  
Land and Timber. Same.

---

East On Random Between Sect. 3 & 10.

12.00 a Wh. ash 24 in. diam.

40.00 Set temp. gr. sec. post.

69.00 a Run 10 Lk. wide course N.

79.15 Intersect N & S. line 50 Lk. N. of post.  
Land & Timber. Same.

---

West Correct line Between Sect. 3 & 10.

39.57 Set gr. sec. post, from which  
a Wh. ash 12 in. diam. bears S 21 E, 33 Lk. dist.  
a Hickory 15 " " " N 16 W, 47 " "

79.15 Sec. cor.



210 S 27 N. Re. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

Ch<sup>a</sup> Ash.

North Between Secs 3 & 4.

26.00 a wh. Ash 12 in. diam.

40.00 Set q. Sec. post. from which  
a Bl. Ash 10 in. dia. bears N 49 W. 30 Ch<sup>a</sup> dist.  
a Maple 18 " " " S 49 E. 40 " "

60.60 a wh. Ash 18 in. diam.

81.72 Intersect N. Boundary 277 Ch<sup>a</sup> E. of post  
& set post loc. to Secs 3 & 4, from which  
a Beech 18 in. diam. E. 11 Ch<sup>a</sup> dist. &  
a Lym 24 " " bears S 82 W. 31 Ch<sup>a</sup> dist.  
Land, first  $\frac{3}{4}$  Bl. Ash, Elm, Cottonwood  
Sycamore &c. &c. Last  $\frac{1}{4}$  2<sup>nd</sup> rate  
Limb<sup>a</sup> Beech, Sugar, Lym, Wh. Ash,  
Wh. & Br. Oak, Lionwood Spice and  
Haw. &c.

---

North Between Sections 32 & 33.

39.00 Left the wet Swamp Prairie

40.00 Set q. Sec. post. from which  
a Hickory 12 in. dia. bears N 42 E. 7 Ch<sup>a</sup> dist.  
a Br. Oak 12 " " " S 58 W. 8 " "

58.00 a Lym 15 " "

80.00 Set post loc. to Secs 28, 29, 32 & 33, from wh.  
a Wh. Oak 24 in. dia. bears S 51 W. 39 Ch<sup>a</sup> &  
an Elm 12 in. dia. " N 42 E. 45 "  
Land 1<sup>st</sup>  $\frac{1}{2}$  mile one continued swamp  
and wet Prairie. 2<sup>nd</sup> " half mile  
2<sup>nd</sup> rate land. Limb<sup>a</sup> Beech, Sugar  
Elm, Wh. Br. & Br. Oak, Wh. Ash and  
and Hickory &c.

---

East On Random Between Secs 28 & 33.

40.00 Set temp. q. Sec. post.

80.10 Intersect N. & E. line at post.

Land 2<sup>nd</sup> rate Limb<sup>a</sup> same as last  $\frac{1}{2}$   
mile.

211

T. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. Sk?

West correct line between sec. 28 & 29.  
40.05 Set gr. sec. post. from which  
a Wh. Ash 6 in. dia. bears N 57 E. 14 lb. dist. X  
a Bl. Ash 8 " " " N 61 W. 23 " "  
80.10 Sec. cor.

---

North Between Sections 28 & 29.

19.95 a Bl. Ash 18 in. dia.  
32.00 Came to a willow swamp.  
40.00 Set gr. sec. post. from which  
a Willow 6 in. dia. bears S 54 E. 14 lb. dist. X  
a Maple 5 " " " N 12 W. 10 " "  
50.00 Left the swamp course S. E.  
65.42 a Wh. Oak 24 in. diam.  
80.00 Set post cor. to sec. 20, 21, 28 & 29, fr. wh.  
a Beech 24 in. dia. bears N 85 W. 30 lb. dist. X  
a J. 10 " " " N 70 E. 17 " "  
Land, 2<sup>nd</sup> rate. Tim. same.

---

East On Random betw<sup>n</sup> sec. 21 & 28.

40.00 Set temp. gr. sec. post.  
79.20 Intersect N & Line 28 lb. N. of post.  
Land, 2<sup>nd</sup> rate. Tim. same as  
last 1/2 mile.

---

West correct line betw<sup>n</sup> sec. 21 & 28.

39.60 Set gr. sec. post. from which  
a Beech 10 in. dia. bears N 55 W. 17 lb. dist. X  
a Wh. Ash 6 " " " S 58 E. 16 " "  
79.20 Sec. cor.

---

North Between Sections 20 & 21.

18.50 a Beech 15 in. diam.  
40.00 Set gr. sec. post. from which  
a Sugar 15 in. dia. bears S 11 W. 9 lb. dist. X  
a Beech 20 " " " N 52 E. 24 " "

212 S. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

62.00

a Spruce 24 in. diam.

80.00 Set post cor. to Sect. 16, 17, 20 & 21 fr. wh.  
a Wh. Oak 24 in. dia. bears N 18 E, 57 lb. dist.

an Elm 24 " " " N 19 W, 28 " "

Land and Timber, Sec<sup>n</sup> rate.

East All Random between Sec<sup>s</sup> 16 & 21.

28.00 To a Beech 18 in. diam.

40.00 Set temp. gr. sec. post.

79.50 Intersect N & S line 30 lb. N. of post.  
Land & Timber, same.

West Correct line between Sec<sup>s</sup> 16 & 21.

39.75 Set gr. sec. post. from which  
a Beech 15 in. dia. bears N 35 W, 5 lb. dist. &  
a Do. 15 " " " S 29 E, 15 " "

79.50 Sec. cor.

North Between Sections 16 & 17.

23.05 To a Beech 15 in. dia.

24.00 To a Wet Prairie Run 20 lb. wide E. N. E.

40.00 Set gr. sec. post. from which  
a Hickory 24 in. dia. bears S 31 E, 11 lb. dist. &  
an Elm 12 " " " N 26 W, 22 " "

66.83 To a Beech 15 in. dia.

80.00 Set post cor. to Sect. 8, 9, 16 & 17, from wh.  
a Bl. Ash 6 in. dia. bears S 53 E, 2 lb. dist. &  
a Bl. Ash 6 " " " N 32 W, 14 lb. dist.  
Land 2<sup>nd</sup> rate. Timber the same.

East All Random between Sect. 9 & 16.

20.25 a Wh. Ash 12 in. diam.

40.00 Set temp. gr. sec. post.

58.70 a Beech 12 in. diam.

69.50 a Run 12 lb. wide Course N.

80.22 Intersect N. & S. line at post.

T. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind<sup>n</sup>

213

Ch<sup>s</sup>. Sh. Land and Timbr. same.

1.

West correct line Between Sec<sup>s</sup> 9 & 16.

40.11 Set gr. sec. post, from which  
a Wh. Oak 24 in. dia. bears S 79 E. 9 lks. dist. )  
a Beech 10 " " " N 19 W. 7 " "

80.22 Sec. cor.

North Between Sec<sup>s</sup> 8 & 9.

12.50 To a Swail Course E. & W.

16.00 Left the Swail

21.86 a Wh. Ash 18 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Ash 4 in. dia. bears N 43 W. 29 lks. dist. )  
a Spruce 4 " " " S 43 E. 9 " "

66.56 a Wh. Ash 18 " "

80.00 Set post Cen. to Sec<sup>s</sup> 4, 5, 8 & 9, from wh.  
a Bl. Ash 8 in. dia. bears N 10 W. 20 lks. dist. )  
a Wh. Ash 8 " " " S 75 E. 34 " "  
Land, 2<sup>nd</sup> rate. Timbr. same.

East Cen. Random between Sec<sup>s</sup> 4 & 9.

40.00 Set temp. gr. sec. post.

79.90 Intersect N & S line at post.

Land &c, same.

West correct line between Sec<sup>s</sup> 4 & 9.

39.85 Set gr. sec. post, from which  
an Ironwood 6 in. dia. bears S 5 E. 17 lks. dist. )  
a Beech 12 in. dia. bears N 33 W. 25 " "

79.90 Sec. cor.

North Between Sec<sup>s</sup> 4 & 5.

19.00 a Sugar 12 in. dia.

40.00 Set gr. sec. post, from which  
a Spruce 6 in. dia. bears N 60 E. 9 lks. dist. )



214 S. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind<sup>g</sup>  
Ch. 16!

- a Beech 18 in. dia. bears S 69 W. 36 lb. dist. & 60.25 a Maple 20 in. diam.  
70.50 a Creek 50 lb. wide Course N.E.  
82.67 Intersect N. Boundary 267 lb. East of post  
& Set post cor. to Sec. 4 & 5, from which  
a Beech 18 in. dia. bears N 12 W. 27 lb. dist. &  
a Do. 15 " " " S 95 E. 37 lb. dist.  
Land, 2<sup>nd</sup> rate. Beech, Sugar,  
Bl. Walnut Lyne Hickory, Sycamore,  
Oak &c. Spice &c.
- 

North Between Sec. 31 & 32.

- 24.80 an Aspen 12 in. diam.  
40.00 Set gr. Sec. post. from which  
a Wh. Oak 24 in. dia. bears S 62 E. 34 lb. dist. &  
a Lyne 20 in. dia. bears N 74 W. 17 " "  
60.65 an Elm 8 in. dia.  
80.00 Set post cor. to Sec. 29, 30, 31 & 32. fr. wh.  
a Beech 15 in. dia. bears N 44 E. 24 lb. dist. &  
a Sugar 10 " " " S 53 W. 30 " "  
Land, first half mile swampy -  
2<sup>nd</sup> 1/2 mile 2<sup>nd</sup> rate. Sugar, Beech,  
Poplar, Ash Hickory &c. and. Spice.
- 

East An Random between Sec. 29 & 32.

- 40.00 Set temp. gr. Sec. post.  
59.35 a Cottonwood 20 in. dia.  
80.14 Intersect N & S. line at post.  
Land. wet. Limb: Cottonwood,  
B. Ash, Sycamore Elm &c.
- 

West correct line between Sec. 29 & 32.

- 40.07 Set gr. Sec. post. from which  
a Hickory 12 in. dia. bears S 17 E. 41 lb. dist. &  
a Beech 18 in. dia. bears N 22 W. 52 " "  
80.14 Sec. cor.

S 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. 1<sup>st</sup>

- West Between Sect 30 & 31.  
 22.38 a Hickory 24 in. dia.  
 40.00 Set gr. sec. post, from which  
 a Sugar 12 in. dia. bears N 44 E, 35<sup>th</sup> dist., &  
 a Do. 12 " " " S 92 W, 18 " "  
 66.84 a Wh. Oak 24 in. diam.  
 82.29 Intersect W. Boundary 5<sup>th</sup> N. of post &  
 Set post cor. to Sect. 30 & 31, from which  
 a Beech 15 in. dia. bears N 42 E, 39<sup>th</sup> dist., &  
 a Spruce 12 " " " S 84 E, 36 " "  
 Land & Limb. See<sup>n</sup> rate.

North Between Sect. 29 & 30.

- 23.62 a W. Oak 48 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Beech 18 in. diam. bears N 23 E, 22<sup>th</sup> dist., &  
 a Do. 12 " " " " S 60 W, 30<sup>th</sup> dist.,  
 60.50 a Bl. Ash 12 in. dia.  
 80.00 Set post cor. to Sec. 19, 20, 29 & 30, fr. which  
 a Beech 15 in. dia. bears N 12 W, 19<sup>th</sup> dist., &  
 a Do 8 " " " " S 2 E, 42<sup>th</sup> dist.,  
 Land and Limb. Same.

East An Random Between Sect. 20 & 29.

- 21.50 a Wh. Oak 36 in. diam.  
 40.00 Set gr. sec. post, from which (Lump.)  
 63.15 an Aspen 12 in. diam.  
 65.00 To a swail N. W & S. E.  
 81.25 Intersect N & S. line 30<sup>th</sup> N. of post. &  
 Land W.  $\frac{1}{2}$  mile 2<sup>nd</sup> rate. E.  $\frac{1}{2}$  mile  
 wet land.

West corner line Between Sect. 20 & 29.

- 40.63 Set gr. sec. post, from which  
 a Sycamore 8 in. dia. bears N 61 W, 30<sup>th</sup> dist.,  
 a Cottonwood 24 " " " " S 63 E, 25 " "

216

S. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind. a

Ch. Mt.

81.25 Sec. 400.

West Between Sect. 19 &amp; 30.

23.77 a Cottonwood 12 in. diam.

40.00 Set gr. sec. post, from which  
a Wh. Oak 36 in. dia. bears N 52 E, 27 W. Ch.  
a Sugar 15 " " " S 73 W. 30 " "

66.10 an Elm 24 in. diam.

83.18 Intersect W. Boundary at post where  
Cor. to Sect. 19 & 30, —  
Land, East 1/2 mile wet. W 1/2 2<sup>nd</sup> rate  
Timber, various kinds.

North Between Sect. 19 &amp; 20.

19.50 an Elm 15 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 15 in. dia. bears S 23 W. 8 W. Ch. dist. &  
a Do. 10 " " " N 42 E. 18 " "

59.90 a Do. 24 " "

80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from wh.  
a Beech 24 in. dia. bears S 25 E. 48 W. Ch. dist. &  
a Sp. 8 " " " N 18 W. 18 " "  
Land and Timber: 2<sup>nd</sup> rate —  
Beech, Sugar Maple, Wh. Ash, W. R.  
Br. Oak, Hickory, Spruce & c. Spice.

East An Runway Between Sect. 17 &amp; 20.

17.00 a Sugar 12 in. diam.

40.00 Set gr. sec. post, from which (Sect.)

60.50 a Hickory 20 in. diam.

80.00 Intersect N & E line 36 Ch. N. of post.  
Land, 2<sup>nd</sup> rate. Timber: Beech —  
Sugar, Hickory Br. Wh. & R. Oak, Elm & c.  
Spruce Wh. Ash & Ironwood, and. yth.  
Spice & R. Ash.

S. 27 N. 16. 14 E. 2<sup>nd</sup> Mer. Ind.

217

Ch<sup>2</sup> the

West Correct line Between Sect. 17 & 20.

17.00 a Sugar 12 in. diam.

40.00 Set gr. sec. post. from which  
a Wh. Oak 8 in. diam. bears N 13 E. 28 lb. dist.  
a Lyrus 12 in. diam. " N 39 W. 14 " "  
80.00 Sec. line.

West Between Sect 18 & 19.

16.15 a Hickory 20 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 9 in. dia. bears N 57 E. 11 lb. dist. &  
a Hickory 12 " " " S 31 W. 49 " "

65.31 a Hickory 18 in. diam.

83.98 Intersect W. Boundary 14 lb. N. of post.  
& set post cor. to Sect. 19, 18, from which  
a Lyrus 10 in. dia. bears N 57 E. 27 lb. dist. &  
a Maple 12 " " " S 3 E. 33 " "  
Land and Timber Same.

North Between Sect. 17 & 18.

20.62 a Sugar 10 in. diam.

40.00 Set gr. sec. post. from which  
a Wh. Ash 14 in. dia. bears N 45 W. 16 lb. dist. &  
an Elm 12 " " " S 85 E. 29 " "

63.55 a Lyrus 12 " "

80.00 Set post cor. to Sect. 7, 8, 17 & 18, fr. wh.  
an Elm 12 in. dia. bears N 59 W. 19 lb. dist. &  
a Wh. Ash 10 " " " S 60 E. 26 lb. dist.  
Land and Timber Same.

East On Maindome Between Sect. 8 & 19.

23.40 a Sycamore 15 in. diam.

40.00 Set temp. gr. sec. post.

50.00 Came to a Swamp course N. E.

65.00 Left the Swamp

80.00 Intersect N & S. line 80 lb. N. of post.



S. 27. N. No. 14 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch<sup>a</sup> M<sup>a</sup>

West corner line betw<sup>n</sup> Sec. 8 & 17.

40.00 Set gr. sec. post. from which  
a Wh. Oak 24 in. dia. bears N 55 E. 20 ft. dist.  
an Elm 12 in. dia. bears S 31 W. 27 " "  
80.00 Sec. cor.

West Between Sec. 17 & 18.

21.00 an Elm 15 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears S 57 E. 16 ft. dist. X  
an Elm 10 " " " N 31 W. 30 " "

61.00 a Hickory 18 in. dia.

83.88 Intersect W. Boundary 136 ft. N. of post.  
& set post cor. to Sec. 7 & 18. from wh.  
a Hickory 24 in. dia. bears S 34 E. 31 ft. dist. X  
a Wh. Oak 12 " " " N 55 E. 67 " "  
Land, 2<sup>nd</sup> rate. Timber: Beech, —  
Sugar, Elm, Maple Wh. & B. & B. Oak.  
Lynx, Hickory & Ironwood, Spice.

North Between Sec. 7 & 8.

19.80 a Wh. Oak 24 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 8 in. dia. bears N 55 E. 28 ft. dist. X  
a Sugar 15 in. " " S 53 W. 57 " "

66.30 a Beech 12 in. dia.

80.00 Set the sec. post. from which (Corner  
to Sec. 5, 6, 7 & 8.)  
a Beech 15 in. dia. bears S 62 W. 22 ft. dist.  
a 80. 12 " " " N 42 E. 36 ft. dist.  
Land and Timber: same with B. Wal-  
nut Honey Locust &c. &c. and yth.  
Spice (W. Beech &c.)

East On Randon Between Sec. 5 & 8.

10.00 a Run 20 ft. wide course N.W.

S. 27 N. No. 14 E. 2<sup>nd</sup> Mer. Ind. <sup>219</sup>

ch<sup>2</sup> 2<sup>nd</sup>

- 19.45 a Beech 12 in. diam.  
40.00 Set gr. sec. post.  
79.30 Intersect N. & S. line 46 bk. N. of post.  
Land & Timber, same.
- 

West corner line between sec. 5 & 8.

- 39.65 Set gr. sec. post, from which  
a Beech 5 in. dia. bears N 19 W, 18 bk. dist. X  
a Do. 12 " " " N 16 E, 52 " "  
79.30 Sec. cor.
- 

West Between Sec. 6 & 7.

- 25.30 a Beech 12 in. in. diam.  
40.00 Set gr. sec. post, from which  
a Lymr 18 in. dia. bears S 56 E, 14 bk. dist. X  
an Elm 12 " " " N 56 W, 40 " "  
55.50 a Wh. Oak 24 in. diam.  
85.58 Intersect W. Boundary 54 N. of post. X  
& set post cor. to Sec. 6 & 7, from which  
a Beech 9 in. dia. bears N 20 E, 46 bk. dist. X  
a Wh. Oak 36 " " " S 7 E, 36 " "  
Land, 2<sup>nd</sup> rate. Timber, same.
- 

North Between Sec. 5 & 6.

- 20.56 a Beech 18 in. diam.  
40.00 Set gr. sec. post, from which  
a Hickory 12 in. dia. bears N 51 E, 5 bk. dist. X  
a Box Elder 10 in. " " " S 40 W, 53 " "  
55.50 a Sycamore 24 in. diam.  
41.00 a erect 50 ft. wide Course S. E.  
81.76 Intersect N. Boundary 41 bk. E. of post  
& set post cor. to Sec. 5 & 6, from which  
a Beech 12 in. dia. bears S 46 E, 55 bk. dist. X  
a Do. 8 in. " " " S 32 W, 48 " "  
Land and Timber, same.  
Surveyed in 1822 James Wiley, Dep. Sur.

220

S. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Indiana.

Courses.	Chs. Lks.	Meanders of the St. Mary's River on Left Bank - From post on North boundary. Thence up stream in sec. 3. 4m. 50 E.
S 15 W.	5.50	
South	14.00	
S 43 E.	19.70	at 9.50 a Spring.
S 24 1/2 E.	2.58	To post in line of sec. 2 & 3.
S 43 E.	11.50	In sec. 2.
S 60 E.	23.40	at 2.50 a Brook 10 lks. wide S.
S 80 E.	8.00	
S 45 E.	10.50	at 3.00 a Spring
S 11 E.	17.16	To post in line of sec. 2 & 11.
S 37 E.	4.28	In sec. 11.
S 77 1/2 E.	9.21	at 3.00 a Brook 20 lks. wide S.
S 46 E.	6.50	
S 55 E.	9.74	
N 82 1/2 E.	8.92	To post in line of sec. 11 & 12.
N 80 E.	8.00	at 50 lks. a Brook 10 lks. wide c. S. E.
S 74 E.	5.43	In sec. 12.
S 44 E.	11.00	
N 62 E.	3.00	
N 41 E.	9.22	
N 65 E.	5.80	
S 48 E.	14.00	
S 16 E.	2.50	
S 36 W.	9.50	
S 10 E.	5.67	
S 40 E.	3.10	
S 56 E.	24.50	at 20.00 a Brook 25 lks. wide c. S. E.
S 47 E.	10.84	
S 36 E.	8.00	
S 69 E.	5.50	

S. 27 N. 14 E. 2<sup>nd</sup> Mer. Indian a.

Courses.	Ch. M.	
S 87 E.	5.05	To line betw <sup>n</sup> Ranges 14 & 15. July 3 <sup>rd</sup> 1822.
S 11 W	5.50	Meander of St. Mary River, Right Bank, from post in North Boundary
S 2 W	11.25	Thence up stream in Sec. 3. N. 5. 15 E.
S 29 E.	5.50	
S 46 E.	10.65	
S 26 E.	3.40	To post in line of Sec. 2 & 3.
S 39 E.	11.50	at 5.00 a spring run 10 <sup>th</sup> c. fr. E.
S 57 E.	7.50	In sec. 2.
S 62 E.	17.50	
S 76 E.	10.00	at 9.50 a spring run 10 <sup>th</sup> c. fr. N.
S 55 E.	7.10	
S 18 E.	5.31	
S 12 E.	17.44	To post in line of Sec. 2 & 11.
S 43 E.	2.42	In sec. 11.
S 79 E.	8.18	
S 49 E.	10.50	
N 86 E.	5.50	at 2.00 a spring run 10 <sup>th</sup> c. wide fr. N.
N 77 E.	3.50	To post in line of Sec. 11 & 12.
N 79 E.	5.67	In sec. 12.
S 78 E.	5.50	a spring.
S 58 E.	5.50	
N 41 E.	7.00	
N 60 E.	3.50	
N 46 E.	10.50	at 5.00 a Run 10 <sup>th</sup> c. from East.
S 87 E.	7.73	
S 25 E.	6.50	
S 35 W.	9.75	at 2.50 a spring Branch
South	3.86	
S 43 E.	5.50	
S 62 E.	11.50	opposite a rapid.
S 57 E.	8.50	
S 51 E.	7.00	
S 45 E.	17.36	a spring
S 81 E.	5.80	To line between Ranges 14 & 15 E.

Surveyed in 1822.

By

James Hoilez Dep. Sur.



T. 27 N. R. 14 E. 2<sup>nd</sup> Mer. Ind.

I Certify that the foregoing transcripts  
of the Field Notes of Township 27 North  
in Range 14 East, 2<sup>nd</sup> Meridian in the  
State of Indiana, has been compared  
with the Original in this Office and  
found to be correct.

Cincinnati March 1<sup>st</sup> 1845.

Surveyor General's Office.

William Johnston  
Sur. Genl.